



S8VK-G12024

Book type power supply, Pro, 120 W, 24VDC, 5A, DIN rail mounting

Specifications

Type	DIN-rail
Mounting method	DIN rail
Phase	Single
Output voltage	24 V
Power output	120 W
Efficiency	89 %
Rated output current	5 A
Power boost ratio	120 %
Temperature range	-40-70 °C
Terminal type	Screw
Communication port(s)	None
Alarm function	-
Number of output branches	1
Rated supply voltage at AC 50 Hz	100-240 V
Allowable supply voltage AC	85-264 V
Allowable supply voltage DC	90-350 V
Product Width (unpacked)	40 mm
Product Height (unpacked)	125 mm
Product Depth (unpacked)	113 mm

Related products



S8V-NF

Noise Filter S8V-NF



Electronic Circuit Breaker

S8V-CP - Electronic Circuit Breaker

Downloads

CAD Library



Perfect Power Supply Solutions

Brochure

EN PDF 1.29 MB



S8VK-G

Instruction Manual

EN PDF 897 KB



S8VK-G Switch Mode Power Supply

Datasheet

EN PDF 7.46 MB



S8VK-S/S8FS-G

Brochure

EN PDF 2.4 MB

TERMS OF WEBSITE USE

This PDF document was created from the European OMRON Industrial Automation website on 15 September, 2026. Click here for [terms of use](#).

OMRON

INDUSTRIAL AUTOMATION | [INDUSTRIAL.OMRON.EU](https://www.industrial.omron.eu)