



S8VK-T12024

Book type power supply, Pro, 120 W, 24VDC, 5A, DIN rail mounting

Specifications

Type	DIN-rail
Mounting method	DIN rail
Phase	Three
Output voltage	24 V
Power output	120 W
Efficiency	89 %
Rated output current	5 A
Power boost ratio	120 %
Temperature range	-40-70 °C
Features	Coated
Terminal type	Screw
Rated supply voltage at AC 50 Hz	380-480 V
Allowable supply voltage AC	320-576 V
Allowable supply voltage DC	450-810 V
Product Width (unpacked)	40 mm
Product Height (unpacked)	125 mm
Product Depth (unpacked)	113 mm

Related products



Electronic Circuit Breaker

S8V-CP - Electronic Circuit Breaker

Downloads

CAD Library



Perfect Power Supply Solutions Brochure

EN PDF 1.29 MB



S8VK-S/S8FS-G Brochure

EN PDF 2.4 MB



S8VK-T Switch Mode Power Supply Datasheet

EN PDF 4.44 MB

TERMS OF WEBSITE USE

This PDF document was created from the European OMRON Industrial Automation website on 15 September, 2026. Click here for [terms of use](#).

OMRON

INDUSTRIAL AUTOMATION | [INDUSTRIAL.OMRON.EU](https://www.industrial.omron.eu)